



CONDITIONS REQUIRING IMMEDIATE REFERRAL TO HOSPITAL EMERGENCY DEPARTMENT

| Patient signs and symptoms | Exemplar | |
|--|---------------------------------|--|
| Suspected penetrating eye injury | E.g. wire in eye | |
| Any trauma or recent history of (including blunt, mild, etc) | hyphaema, retinal detachment | |
| Chemical injury | alkaline burn, severe acid burn | |
| Extremely inflamed and highly painful eye socket, swollen lids and generally unwell | orbital cellulitis | |
| Painful lacrimal canal | acute dacryocystitis | |

CONSIDER IMMEDIATE REFERRAL TO AN OPTOMETRIST. Phone for immediate appointment.

| Patient signs and symptoms | General Optometry (for diagnosis and/or work up for referral) | Therapeutically Endorsed Optometrist (for diagnosis and/or work up for referral) |
|---|---|---|
| Sudden loss of vision in eye | central retinal artery occlusion, retinal detachment, posterior uveitis, optic neuritis | central retinal artery occlusion, retinal detachment, posterior uveitis, optic neuritis |
| Sudden onset double vision or turned eye | nerve palsy | nerve palsy |
| White pupil | retinoblastoma or congenital cataracts | retinoblastoma or congenital cataracts |
| Enlarged eyeball and watery eyes | buphthalmos | buphthalmos |
| Floaters and flashes (cobwebs in vision, large floaters, curtain/blind across vision) | posterior vitreous detachment, retinal detachment, vitreous haemorrhage | posterior vitreous detachment, retinal detachment, vitreous haemorrhage |
| Distortion in central vision | diabetic macular oedema | diabetic macular oedema |
| Presenting with (or recent history of) eye injury or mild blunt Trauma | foreign body, mild chemical burn, abrasion, laceration | foreign body, mild chemical burn, abrasion, laceration, traumatic iritis |
| Severely painful eye / red eye and /or photophobia with vision reduction | | corneal ulcer, anterior uveitis, posterior uveitis |
| Pain or severe redness in a contact lens wearer | | infectious ulcer due to e.g. acanthomoeba or pseudomonas |
| Blurred vision, possible headaches | papilloedema, optic neuritis | papilloedema, optic neuritis |







REFERRAL TO AN OPTOMETRIST ON THE SAME OR NEXT DAY

Patient signs and symptoms

Red eye (brick red) with or without mucous, purulent or watery discharge from eye. With or without discomfort. No vision loss.

Contact lens related discomfort

Lid pain or swelling, lid redness and inflammation

Ingrown eyelashes

Possible exemplars for referral to General Optometry (for diagnosis and/or work up for referral)

contact lens over-wear, contact lens related dryness, mechanical failure with the lens

internal / external hordeolum (stye/chalazion) preseptal cellulitis

trichiasis, entropion

Possible exemplars for referral to a Therapeutically Endorsed Optometrist (for diagnosis and/or work up for referral)

herpes simplex keratitis, iritis, epsicleritis bacterial, allergic or viral conjunctivitis

infection

internal / external hordeolum (stye/chalazion) preseptal cellulitis

trichiasis, entropion







NEXT AVAILABLE APPOINTMENT WITH AN OPTOMETRIST (within 7 days)

Patient signs and symptoms

Long-standing or gradual decline in vision e.g. over several months. Poor night vision

Dry, gritty eyes, pinkish eyes, low grade irritation

Headaches

Turned eye

Diabetes without acute ocular symptoms

Sudden red eye but no pain/discomfort

Suspicious eyelid lesions, possibly ulcerated

Family history of paediatric eye conditions

Long-standing / gradual onset ptosis or proptosis

Learning difficulties, lack of focus, developmental delay, disruptive behaviour Possible exemplars for referral to General Optometry (for diagnosis and/or work up for referral)

refractive error

dry eye, pterygium

refractive error, eye strain

squint, amblyopia

refraction changes, diabetic retinopathy, macula oedema

sub-conjunctival haemorrhage

BCC, SCC, squamous cell papilloma, molluscum

high myopia/hyperopia, squints, amblyopia, paediatric glaucoma

intraorbital mass, nerve palsy

refractive error, binocular vision problems

Possible exemplars for referral to a Therapeutically Endorsed Optometrist (for diagnosis and/or work up for referral)

refractive error

blepharitis, ocular surface inflammation, long-standing conjunctivitis

refractive error, eye strain

squint, amblyopia

refraction changes, diabetic retinopathy, macula pedema

sub-conjunctival haemorrhage

BCC, SCC, squamous cell papilloma, molluscum

high myopia/hyperopia, squints, amblyopia, paediatric glaucoma

intraorbital mass, nerve palsy

refractive error, binocular vision problems

MANAGE WITHIN THE GP SURGERY OR referral to an alternative medical specialist

Patient signs and symptoms

SUDDEN ONSET double vision, turned eye or droopy eyelid – ocular presentation of a medical issue

Example

nerve palsy